

Frigidaire

Factory Parts Catalog

Product No.	FEC30C4ABE	FEC30C4AQE
	3805421161065	3805421161045
Series	30" elec	30" elec
Color	black	bisque
Market	North America	North America
Wiring Diagram	318046902	318046902
Owner's Guide	318200612	318200612
Installation Instructions	318201426	316201426

Electrolux

Electrolux Major Appliances
North & Latin America
P.O. BOX 212378
AUGUSTA, GA 30917

Publication No.
5995514899
08/05/20
(EN/SERVICE/ECL)
377

30” ELECTRIC COOK-TOP

Model No.
FEC30C4A

Copyright © 2008 Electrolux Home Products, Inc.
All rights reserved.

CONTROL PANEL



CONTROL PANEL

Model Index: A FEC30C4A (FEC30C4ABE)
B FEC30C4A (FEC30C4AQE)

POS. NO	PART NO.			DESCRIPTION
14 #	318369500	A	B	Light, indicator, 250v
16	318286800	A	B	Plate, instrument mtg
16A	5303301457	A	B	Plate, instrument mtg
19	318242302	A	-	Panel, control, black
19	318242301	-	B	Panel, control, bisque
36	318196634	A	-	Knob, control, black
36	318196635	-	B	Knob, control, bisque
46	318228301	A	B	Lens, indicator light
54 #	318369602	A	B	Switch, surface unit, small, single
54A#	318369603	A	B	Switch, surface unit, large, single
69	5304453272	A	B	Screw, mtg., #8-32 x 1/4"
74	318146010	A	B	Bushing, switch
* #	318232414	A	B	Harness, wiring, indicator light
*	5304410665	A	B	Screw, 10-32 x 5/8, (8)

MAIN TOP/SURFACE UNITS



MAIN TOP/SURFACE UNITS

Model Index: A FEC30C4A (FEC30C4ABE)
B FEC30C4A (FEC30C4AQE)

POS. NO	PART NO.			DESCRIPTION
15 #	316442302	A	B	Element, surface, 8"/large, 2100W
15A#	316439802	A	B	Element, surface, 6"/small, 1250W
16	5303324148	A	-	Main Top, black
16	318159025	-	B	Main Top, bisque
17	3016817	A	B	Rod, maintop support
18	318074310	A	B	Hinge, maintop, (2)
19 #	318067056	A	B	Pan, surface element, large, chrome
19A#	318067046	A	B	Pan, surface element, small, chrome
27 #	318399407	A	B	Terminal Block, surface element, 21", white leads
27 #	318399409	A	B	Terminal Block, surface element, 24", yellow leads
27 #	318399419	A	B	Terminal Block, surface element, 36", brown leads
27 #	318399420	A	B	Terminal Block, surface element, 36", orange leads
28	5303301461	A	B	Medallion, surface element
46	318077401	A	B	Burner Box
93	318366410	A	B	Support, terminal block, (4)
136	5303935029	A	B	Support
137	5303323138	A	B	Screw, 10-24x1/2
140	318216000	A	B	Spacer, installation
183	5304410665	A	B	Screw, 10-32 x 5/8, (8)
* #	318078560	A	B	Box & wires assy
*	5303300195	A	B	Screw, 10-32 x 0.375, terminal block, (2)
*	5303311532	A	B	Screw, 6-32 x 1/4", back

WIRING DIAGRAM



COLORS/COLOR/COULEURS

BL.	-	BLUE/AZUL/BLEU
BR.	-	BROWN/MORENO/BRUN
R.	-	RED/ROJO/ROUGE
Y.	-	YELLOW/AMARILLO/JAUNE
BK.	-	BLACK/NEGRO/NOIR
W.	-	WHITE/BLANCO/BLANC
O.	-	ORANGE/NARANJA/ORANGE
C.	-	COPPER/COBRE/CUIVRE
P.	-	PINK/ROSA/ROSE
V.	-	VIOLET/VIOLETA/VIOLET
G.	-	GREEN/VERDE/VERT
PR.	-	PURPLE/PURPUREO/POURPRE

LEGEND/LEYENDA/LEGENDE

GND.	GROUND PUESTA A TIERRA MISE A LA TERRE
ELM.	UNIT ELEMENTO ELEMENT
SW.	SWITCH INTERRUPTOR INTERRUPTEUR
L.R.	LEFT REAR TRASERO IZQUIERO ARRIERE GAUCHE
L.F.	LEFT FRONT FRENTE IZQUIERDO AVANT GAUCHE
R.R.	RIGHT REAR TRASERO DERECHO ARRIERE DROIT
R.F.	RIGHT FRONT FRENTE DERECHO AVANT DROIT
P.L.	PILOT LIGHT LAMPARA PILOTO LAMPE TEMOIN

NOTE/NOTA/NOTE

- SERVICE: IF REPLACEMENT OF TERMINALS BECOMES NECESSARY, USE EQUIVALENT WIRE TYPE, GAGE AND TERMINALS.
- EN CASO QUE SEA NECESARIO DE REEMPLAZAR LOS BORNES, ES NECESARIO DE UTILIZAR DE UTLILIZAR EL MISMO TIPO DE ALAMBRE Y DE MEDIDOR Y EL MISMO TIPO DE BORNES.
- SERVICE: SI LE REMPLACEMENT DE FILS EST NECESSAIRE, VEUILLEZ UTILISER DES FILS DE MEME TYPE DE MEME CALIBRE ET DE MEME COSSES.
- *=MODEL WITH 1 PILOTE LIGHT(------).
- *=MODELO CON 1 LAMPARA PILOTO(------).
- *=MODELE AVEC 1 LAMPE TEMOIN(------).

WARNING/AVISO/ATTENTION

-DISCONNECT POWER BEFORE SERVICING UNIT.
COUPER LE COURANT AVANT D'EFFECTUER UNE REPARATION.
-DESCONECTE LA ENERGIA MANTENIMIENTO DEL ELECTRODOMESTOCO.
-USE COPPER WIRE ONLY.
UTILISER SEULEMENT DU FIL DE CUIVRE.

COLOR WIRE NO./NO DE COLOR DE ALAMBRE/NO. FIL DE COULEUR W/BL-1

-TRACER WIRE: WIRE COLOR NOTED FIRST, STRIPE NEXT. EXAMPLE:WHITE WIRE WITH BLUE STRIPE.
-IDENTIFICATION DEL CABLE:COLOR DEL CABLE PRIMERO,SEGNIDO POR EL DE LA BANDA. EJEMPLO:CABLE BLANCO CON BANDA AZUL
-FIL LIGNE: COULEUR DU FIL NOTE EN PREMIER, LA LIGNE APRES. EXEMPLE:FIL BLANC AVEC LIGNE BLEU.

WIRE ALAMBRE FIL	GAGE MEDIDA CALIBRE	TEMP. °C	UL STYLE MODO UL STYLE UL
1	14	150°C	3321
2	16	150°C	3321
3	18	150°C	3321
4	12	150°C	3321

318046902 REV. A